# Tera technical specification



.mdd

## MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

MDD is highly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













#### **General informations:**

#### Warranty:

MDD products - **5 years**. Electrical components and fabric - **2 years**.

#### Certyficate - MFC:





#### Assembly:

product delivered in separate elements


#### Packing:


cartboard, perforated plastic mesh wrap, bubble wrap

#### **Boards density:**


12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3

- 1. Worktop MFC 28 mm, ABS edge
- 2. Low side panel MFC 28 mm, ABS edge
- 3. Top element top MFC 28 mm + Glass LACOBEL 4 mm, front MFC 18 mm, coated with HPL gloss
- 4. High side panel MFC 28 mm, ABS edge
- 5. Front MFC 18 mm, ABS edge
- 6. Decorative stripe PVC, colour: M009 aluminum semi-matt
- 7. Corner unit melamine board covered with HPL gloss
- 8. Side panel linking low and high fronts MFC 28 mm, ABS edge
- Frame to optional top element with lightening metal powder-coated, white colour
- 10. Light swich
- 11. LED illumination cold white color (verging on the blue shade)
- 12. Cable grommets Ø80 mm
- 13. Supporting leg NL41 required for connecting the tops






#### **Ending elements application**



Tera Date of preparation 21.09.2020






**TR08** 800 / 818 / 10901 25 kg



**TR10** 1000 / 818 / 1090 32 kg



**TR12** 1200 / 818 / 1090 36 kg



**TR14** 1400 / 818 / 1090 38 kg





**TR90** 818 / 818 / 1090 36 kg



**TR11** 1000 / 1120 / 740 30 kg




**TR18** 800 / 1120 / 740 24 kg




**TR99** 1000 / 282 / 650 17 kg





**TR1L** 28 / 820 / 1090 17 kg




**TR1P** 28 / 820 / 1090 17 kg




TR2L 28 / 182 / 350 1.5 kg



**TR2P**28 / 182 / 350
1.5 kg



**TR3L** 28 / 820 / 740 12 kg



**TR3P** 28 / 820 / 740 12 kg



**TR5L** 28 / 820 / 1090 13.5 kg



**TR5P** 28 / 820 / 1090 13.5 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height



**TR4L** 28 / 182 / 1090 4 kg



**TR4P**28 / 182 / 1090
4 kg



**NL41** 585 / 142 / 712 2 kg

#### Sneeze guard \*



**NPX1** 1000 / 250 / 750 3 kg

 $^{\star}$  dimensions expressed in millimeters: width x depth x height

### Upper top, worktop, body, front, ending elements **Supporting leg** 26 Aluminum satinato M009 Aluminum semi-matt RAL9006 31 Canadian oak 39 Polar birch 14 Beech M015 White semi-matt RAL9010 67 White pastel M115 Black 106 Lowland walnut 64 Cocoa 154 Anthracite 34 Chestnut semi-matt RAL9005 08 Black 167 Grey oak 168 Natural oak Corner unit, top - HPL



Tera	Date of	The data contained in this document is valid in the day of its preparation.  Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 7/7
	preparation 21.09.2020		colours